

SIEMENS

Switch-/Dimming actuator

Schalt-/Dimmaktor

Actionneur de commutation / Variation

Actuador de conmutación/regulación

Attuatore commutazione/dimmerizzazione

Atuador de regulação da intensidade da luz

Dimmer Aktivatör

Модуль переключения и диммирования

Schakel-/dim actor

开关 - / 调光执行器



5WG1 536-1DB51



Operating Instructions Betriebsanleitung
Instruções de Serviço İşletme kılavuzu

Notice d'utilisation
Руководство по эксплуатации




Instructivo
Bedieningshandleiding

Istruzioni operative
使用说明





Contents / Lieferumfang / Etendue de la livraison /
Contenido / 供货范围

Required tools / Notwendige Werkzeuge /
Outils nécessaires / Herramientas requeridas / 必要工具



Assembly / Montage / Montage /
Montaje / 安装



Removal / Demontage / Démontage /
Desmontaje / 拆卸









Connection / Anschluss / Raccordement /
Conexión / 连接


Disconnection / Trennung / D connexion /
Desconexi n / 断开



Cu	
	0.5 ... 2.5 mm ²
	2.5 mm ²





Cu	
	0.5 ... 1.5 mm ²





Connection / Anschluss / Raccordement /
Conexión / 连接



Disconnection / Trennung / D connexion /
Desconexi n / 断开





Test / Test / Test / Test / 测试





KNX 24VDC typ. SELV



A|B|C|D|E|F|G|H U_n~ 230 V ; 1...10 V




Test / Test / Test / Test / 测试



	1	2	3	4
A B C D E F G H				

Information / Information / Informations / Información / 信息

A 1L 2† | B 3L 4† | μ | C 5L 6† | D 7L 8† | E 9L 10† | F 11L 12† | μ | G 13L 14† | H 15L 16†



1-10V | 21 A 22 | 23 B 24 | 25 C 26 | 27 D 28 | 29 E 30 | 31 F 32 | 33 G 34 | 35 H 36



Technical Documentation:
<http://www.siemens.com/gamma-td>



Technical Support
<http://www.siemens.com/supportrequest>



FAQ:
<https://support.industry.siemens.com/cs/ww/en/ps/faq>

